INDEX TO VOLUME 27

[New names in **boldface** print]

A

activity of
Citellus, 223
Akodon olivaceous brachiotis, Chile, comp., 91
Alaska, local list, 213
Phocoenoides, 364
Alberta, local list, 134
Alces alces alces, 359
alces gigas, 359
americana americana, Mana., Sask., 151
americanus shirasi, Ida., 311, 326
gigas, Alaska, hab., 216
Alcorn, J. R. On the decoying of coyotes, 122
Allan, Philip F. Notes on Dipodomys ordii richardsoni, 271
anatomy of
Cervus, 323
rat, 169
antelope
four-horned, 166
prong-horned, 84, 151, 326
Antilocapra americana americana, Alta., Mana., Sask., 151; Ida., 311, 326
Antrozous pallidus, Calif., hab., 61
Arizona
Felis, 89
Lasiurus, 278
Ondatra, 88
armadillo, 167, 273
giant, 167
nine-banded, 59
Artibeus planirostris trinitatis, Trinidad, hab., 327
Arvicola amphibius, anat., 378
arvalis, anat., 378
terrestris monticola, 378
terrestris terrestris, anat., 378
as food
Citellus, 115
Clethrionomys, 84
Dipodomys, 197
Glaucomys, 56, 84
Lepus, 84, 124, 178, 322
Mephitis, 55
Odocoileus, 84, 325
Sciurus, 56
Sigmodon, 57
Sylvilagus, 58
Tamiasciurus, 84
associates of
Sorex, 311

B

balculum of
Arvicola, 378
Clethrionomys, 382
Dicrostonyx, 381
Lemmus, 381
Microtus, 382, 383
Neofiber, 383
Ondatra, 383
Oryzomys, 387
Phenacomys, 381
Pitymys, 383
Sigmodon, 387
Synaptomys, 381
badger, 115, 158, 197, 316
common, 138
Balanoptera physalus, comp., 393
banding of bats, 224
Bassariscus astutus flavus, Tex., 166; N. Mex., hab., 157
bat, big brown, 135, 240, 312
evening, 166
fruit, 327
hoary, 135, 312
little brown, 135, 224, 312
long-eared, 312
long-legged, 60, 312
LeConte free-tailed, 54
Mexican free-tailed, 166
red, 135, 166, 178, 278
Seminole, 54
silver-haired, 135
Trouessart brown, 135
vampire, 217
Baughman, J. L.
Some early notices on American manatees and the mode of their capture, 234
On the occurrence of a rorqual whale on the Texas coast, 392
bear, American black, 229
black, 31, 135, 157, 166, 177, 203, 213, 312
cinnamon, 157

Florida black, 54
grizzly, 215, 313
beaver, 166, 216, 230, 320, 396
Canadian, 144
Missouri Valley, 144
behavior of Citellus, 115
Phocoenoides, 367
Benson, Seth B.
Further notes on the Dall porpoise, 368
bighorn, Rocky Mountain, 1
bison, 166, 231
plains, 152, 166
Bison bison, Pa., 231
bison bison, Mana., 152
latifrons, foss., Tex., 166
blackfish, 374
Blarina brevicauda, Mana., wt., 135
brevicauda carolinensis, Fla., hab., wt., 53
bobcat, 139, 160, 166, 230, 255, 317
pallid, 140
Florida, 55
Bond, R. M.
The breeding habits of Thomomys bottae in Orange County, California, 172
Bos taurus, Pa., 232
Booth, Ernest S.
Notes on the life history of the flying squirrel, 28
Bootherium bombifrons, foss., Tex., 166
Breckenridge, W. J.
Weights of a Minnesota moose, 90
breeding of
beaver, 396
Cervus, 324
Clethrionomys, 147
Dipodomys, 200
Erethizon, 116
Lasiurus, 178
Lemmiscus, 148
Lepus, 149
Lynx, 161
Microtus, 147
Odocoileus, 325
Sylvilagus, 273
Taxidea, 175
Thomomys, 172, 338
breeding cycle in dogs, 79
British Columbia
Phocoenoides, 364
Brown, Charles P.
Notes on Adirondack beaver, 394
Bubalus caama, Afr., 407
Buechner, Helmut K. (see Davis, William B. and Buechner)
burrows of Citellus, 106
Dipodomys, 193
Burt, William Henry
(Review) Gustav Swanson, Thaddeus Surber, and Thomas S. Roberts. The mammals of Minnesota, 92

C

California
Antrozous, 61
Citellus, 220
Corynorhinus, 62
Dipodomys, 189
Eptesicus, 240
Eumops, 86
Felis, 274
Mesoplodon, 242
Myotis, 60, 61, 88
Pipistrellus, 88
Tadarida, 60, 88
Thomomys, 172
Ziphius, 242
call of Marmota, 216
camel, 166
Canis familiaris, Pa., 229
latrans, 198, 235; Alaska, 215; Nev., hab., 122; Tex., 271
latrans latrans, Mana., 138
latrans lestes, Ida., 310, 316
latrans mearnsi, 158
latrans nebracensis, 133; Alta., Mana., Sask., 138
latrans texensis, N. Mex., hab., wt., 158
lupus, Alaska, hab., 215; Alta., Mana., 139; N. Mex., 159; Pa., 229
lupus irremotus, Ida., 310, 316
niger rufus, Tex., 166
cannibalism in Citellus, 113
caribou, mountain, 326
woodland, 151
Carollia perspicillata azteca, Panama, hab., 217
Castor canadensis, Alaska, 216; Pa., 230
canadensis canadensis, Mana., Sask., 144
canadensis carolinensis, Ga., Miss., S.C., Tenn., 331
canadensis missouriensis, Alta., Sask., wt., 144
canadensis pacificus, Ida., 311, wt., 320
canadensis texensis, Tex., 166
cat, house, 255, 271
cattle, 232
Cercopithecus sabaeus, hab., 394
census method for Rattus, 63

Cervus americanus, Pa., 231
canadensis canadensis, 231
canadensis manitobensis, Mana., Sask., 150
canadensis nelsoni, Ida., 311; hab., wt., anat., 322
Ceylon
Pithecus, 174
Chalmytherium septentrionale, foss., Tex., 167
Chapman, Floyd B.
An interesting feeding habit of skunks, 397
Chile
Akodon, 91
chipmunk, 230
eastern, 142
Klamath, 318
Lake Superior, 142
northern, 141
Chitty, Dennis and Monica Shorten
Techniques for the study of the Norway rat (Rattus norvegicus), 63
Citellus beecheyi, Calif., 88; hab., 220
beecheyi beecheyi, Calif., 198
columbianus columbianus, Ida., 310; hab., 318
franklinii, 133; Mana., wt., 141
lateralis tescorum, Ida., 310, 318
mexicanus, Tex., hab., 105
mollis yakimensis, syst., 395
richardsonii, 133
richardsonii richardsonii, Alta., Mana., Sask., 140
townsendii, syst., 395
tridecemlineatus pallidus, Alta., Sask., 140
tridecemlineatus tridecemlineatus, Mana., Sask., 140
washingtoni, syst., 395
cleanliness of Citellus, 114
Clethrionomys dawsoni, 362
gapperi, 233, 362, 381; anat., 385
gapperi gapperi, 378; anat., 382
gapperi hudsonius, Mana., 146
gapperi idahoensis, Ida., 311, 320
gapperi loringi, Sask., hab., wt., 146
gapperi saturatus, Ida., 311, hab., 320
coccidia in Ovis, 18
color of Phocoenoides, 366
Procyon, 54
Urus, 318
Ziphius, 244
Colorado
Ovis, 3
Condylura cristata, Mana., 134
Conepatus mesoleucus mearnsi, N. Mex., hab., 157; Tex., para., 82
competitors of Ovis, 9
Cooley, Marvin E.
Cottontails breeding in their first summer, 273
Coolidge, Harold J.
Report of the American committee for international wildlife protection activities for the Society of Mammalogists, Pittsburgh, 1946, 407
Corynorhinus rafinesquii, Calif., hab., 62
rafinesquii rafinesquii, W. Va., para., 86
cottontail, 106, 166, 273
Black Hills, 150
Florida, 57
Nebraska, 150
Nuttall, 322
cougar, Mexican, 159
northern, 139
courtship of Erethizon, 118
coyote, 122, 198, 215, 233, 271, 316, 325
northern, 138
Cratogeomys castanops, Tex., 398
castanops lacrimalis, Tex., 265
merriami, Mex., 398
Crowe, Peter E. (see Trapido, Harold and Crowe)
Cryptotis parva floridana, Fla., hab., 53
parva parva, Tex., 166
Culbertson, A. E.
Observations on the natural history of the Fresno kangaroo rat, 189
Cuvieronius gratus, foss., Tex., 167
Cynomys ludovicianus, Tex., 271
ludovicianus ludovicianus, Sask., wt., 141

D

daily rhythm of Dipodomys, 200
Dalquest, Walter W.
The daytime retreat of a California mastiff bat, 86
Dalquest Walter W. and Mary C. Ramage.
Notes on the long-legged bat (Myotis volans) at old Fot Tejon and vicinity, California, 60
Dasypus novemcinctus mexicanus, Fla., hab., 59
novemcinctus texanus, Tex., 167; hab., 175
Davis, Malcolm
Parturition in a Bengal tigress, 393

Davis, William B.
Further notes on badgers, 175
Another record of the red bat in Arizona, 278
(review) William J. Hamilton, Jr. The mammals of Eastern United States, 92
(review) R. A. Cooley and Glen M. Kohls. The Argasidae of North America, Central America, and Cuba, 93
(review) Thomas Barbour. A naturalist's scrapbook, 284
(review) E. Raymond Hall. Mammals of Nevada, 288
Davis William B. and Helmut K. Buechner
Pocket gophers (Thomomys) of the Davis Mountains, Texas, 265
Dearborn, Ned
Miscellaneous notes, 177
decoying of Canis, 122
Lynx, 122
Taxidea, 124
deer, mule, 86, 151, 324
white-tailed, 167, 231, 325
Dakota white-tailed, 151
northern white-tailed, 150
Virginia, 58
den of Dipodomys, 193
Ursus, 36, 313
dentition of Sorex, 394
Desmodus rotundus murinus, Panama, hab., 217
Dexter, Ralph W.
A new county record for the Ohio shrew, 177
Dicrostonyx rubricatus, 378
rubricatus richardsoni, anat., 381
Didelphis marsupialis virginiana, Pa., 232
virginiana, Pa., 232
virginiana pigra, Fla., hab., wt., 53
virginiana virginiana, Tex., 166
digging of Dipodomys, 200
Dipodomys heermani tularensis, 189
ingens, 189
merriami, 196
nitratoides exilis, Calif., hab., 189
ordii richardsoni, Tex., hab., 271
ordii terrosus, Alta., Sask., 144
spectabilis, 196
diseases of Ovis, 8, 21
dog, 229
dormancy in black bear, 203
drinking of Dipodomys, 272
Dunk, F. A.
Least weasel in Saskatchewan, 392

E

Edwards, Robert L.
Some notes on the life history of the Mexican ground squirrel in Texas, 105
elephant, 167
elk, 231, 322
Enders, Robert K.
Speed in the langur, 174
enemies of Dipodomys, 197
Engle, Earl T.
No seasonal breeding cycle in dogs, 79
Eptesicus fuscus, Calif., hab., 240
fuscus fuscus, W. Va., hab., para., 86; Mana., 135; Ohio, 275, 276
fuscus pallidus, Ida., 310, 312
Equus caballus, Pa., 232
complicatus, foss., Tex., 167
francisi, foss., Tex., 167
Erethizon dorsatum, 233
dorsatum dorsatum, hab., 116, 133; Mana, 149
dorsatum epixanthum, hab., 116; Alta., Sask., wt., 149
epixanthum epixanthum, Ida., 311, 322
Erophylla planifrons, hab., 327
estrous cycle in dogs, 81
Euarctos americana, N. Mex., 157
americanus, Pa., 229
americanus americanus, Minn., 177
americanus floridanus, Fla., 54
americanus luteolus, Tex., 166
Eutamias amoenus amoenus, Ida., 310, 318
amoenus canicaudus, Ida., 310, 318
amoenus luteiventris, Ida., 310, 318
minimus borealis, 133; Alta., Mana., Sask., wt., 141
minimus neglectus, 133; Mana., wt., 142
ruficaudus simulans, Ida., 310, 312; hab., 318, 320
Eumops perotis californicus, Calif., hab., 86
Evans, Thomas H.
Coronary system of veins of heart opening into left atrium by a normal thesbian orifice, 176

F

fecal plug of Ursus, 36
Felis tigris, hab., 393
catus, Tex., 271

concolor, Mana., 139
concolor azteca, N. Mex., hab., 159
concolor browni, Ariz., wt., 89
concolor californica, Calif., hab., 274
concolor coryi, Fla., 55
concolor missoulensis, Alta., Sask., 139; Ida., 310, 317
onca arizonensis, N. Mex., 160
feeding of Desmodus, 217
ferret, black-footed, 137
fighting of Dipodomys, 199, 272
fisher, 232, 314
fishing of domestic cat, 42
jaguar, 37
Fitch, Henry S. (see Horn, E. E. and Fitch)
Florida, local list, 49
food of armadillo, 175
Artibeus, 327
Bassariscus, 157
beaver, 394
bear, 213
Canis, 125, 158
Castor, 332
Cervus, 324
Citellus, 113, 223
Dasypus, 175
Dipodomys, 196, 271
Felis, 160, 317
Glaucomys, 30
Lutra, 54
Lynx, 55
Martes, 83
Mephitis, 55, 397
Odocoileus, 325
Sciurus, 56
Sorex, 311
Tamiasciurus, 319
Taxidea, 115, 316
Urocyon, 158
Ursus, 213, 313
wildcat, 178
food storage by Citellus, 113
Dipodomys, 196
Perognathus, 113
fox, gray, 158, 166, 229
Florida gray, 55
kit, 138, 198
New Mexico desert, 158
red, 138, 215, 232, 316
western red, 158
Frum, W. Gene
Abnormality in dentition of Myotis lucifugus, 176

G

Galbreath, Edwin C.
Equus from the Pleistocene of Illinois, 91
Gates, Doris B. and Jeanne Wolcott
Four red bats in one litter, 84
Geomys breviceps brazensis, Tex., 166
bursarius, 133; Mana., wt., 144
bursarius illinoensis, Ill., 390
tuza floridanus, Fla., hab., wt., 56
Georgia
Castor, 331
gestation of dog, 79
Erethizon, 117
Glaucomys, 30
Gilmore, Raymond M.
Mammals in archeological collections from southwestern Pennsylvania, 227
Glaucomys sabrinus, 233
sabrinus bangsi, Wash., hab., 28; Ida., 310, hab., 319
sabrinus canescens, Mana., Sask., wt., 143
sabrinus latipes, Ida., 310, hab., 319
sabrinus sabrinus, Mana., 142
volans, 233
volans querceti, Fla., hab., wt., 56
volans texensis, Tex., 166
Globicephala brachyptera, 377
melas, 377
ventricosa, Tex., 377
goat, mountain, 216
Rocky Mountain, 326
Goodwin, George, G.
Tapirella dowii a synonym, 91
gopher, pocket, 166, 172, 335, 390
Anderson pocket, 143
brown pocket, 319, 320
Florida pocket, 56
Fresno pocket, 198
Mississippi Valley pocket, 144
sagebrush pocket, 143
gorilla, 408
grizzly, 310
ground hog, 230
growth of Dipodomys, 201
Glaucomys, 28
Ursus, 32
Gudger, E. W.
Does the jaguar use his tail as a lure in fishing, 37
guenon, green, 394

Gulo luscus, Alaska, 215; Minn., 90; Wisc., 90
luscus luscus, Ida., 310, 315
Gunter, Gordon
Records of the blackfish or pilot whale from the Texas coast, 374

H

Hall E. Raymond
Zoological subspecies of man at the peace table, 358
(review) George Gaylord Simpson. The principles of classification and a classification of mammals, 287
Halloran, Arthur F.
A muskrat house on the lower Colorado River, 88
A recent record of the Yuma mountain lion in Arizona, 89
The carnivores of the San Andres Mountains, New Mexico, 154
Hamilton, W. J. Jr.,
The black persimmon as a summer food of the Texas armadillo, 175
A study of the baculum in some North American Microtinae, 378
hare, snowshoe, 322
American varying, 149
Minnesota varying, 149
varying, 231
hibernation of Citellus, 114, 318
Ursus, 313
highway mortality of Taxidea, 175
Hoffmeister, Donald F.
Identity of the type of Peromyscus sagax Elliot, 278
home range of Tamiasciurus, 319
Homo sapiens afer, 359
sapiens americanus, 359
sapiens asiaticus, 359
sapiens sapiens, 359
sapiens tasmanianus, 359
Hooper, Emmet T.
Extra teeth in a shrew, 394
Two genera of pocket gophers should be congeneric, 397
Special wildlife areas in United States National Forests, 410
Horn, Everett E. and Henry S. Fitch
Trapping the California ground squirrel, 220
horse, 167, 232
Hubbs, Carl L.
First records of two beaked whales, Mesoplodon bowdoini and ziphius cavirostris, from the Pacific coast of the United States, 242
Huestis, R. R.
Francis Bertody Sumner, 1874–1945 (obit.), 1
Hyperoodon ampullatus, comp., 242

I

Idaho, local list, 310
Illinois
Equus (foss.), 91
Geomys, 390
Scalopus, 390

J

jack rabbit, 106, 166
jaguar, 37, 160
Jellison, William L.
(review) Cooley R. A. and Glen M. Kohls. The genus Ixodes in North America, 399
Jewett, Stanley, G.
A note on the behavior of the prong-horned antelope, 84
Johnson, David H.
(review) Edson Best. Forest lore of the Maori, 284
Jones, T. S.
Parturition in a West Indian fruit bat (Phyllostomidae), 327

K

Kelson, Keith R.
Notes on the comparative osteology of the bobcat and the house cat, 255
Koford, Carl B.
A California mountain lion observed stalking, 274
Krutzsch, Philip H.
Some observations on the big brown bat in San Diego County, California, 240

L

Lagenorhynchus obliquidens, comp., 371
lambing in Ovis, 22
langur, 174
Lasionycteris noctivagans, Mana., 135; Ohio, 275, 276
Lasiurus cinereus, Ida., 310, 312; Mana., 135; W. Va., 85
borealis, Va., hab., 178

borealis borealis, Nebr., hab., 84; Mana., 135; Tex., 166; W. Va., 85
borealis teliotis, 278
seminola, Fla., hab., wt., 54
lemming, bog, 277
Lemmiscus curtatus pallidus, 133; Alta., Sask., hab., wt., 148
Lemmus helvolus, 378; anat., 381, 385
Lepus americanus, Alaska, 216; Pa., 231
americanus americanus, Mana., Sask., wt., 149
americanus bairdii, Ida., 311, 322
americanus phaeonotus, Mana., Sask., wt., 149
californicus, Nev., as food, 124; Tex., 106
californicus melanotis, Tex., 166
townsendii campanius, Alta., Mana., Sask., wt., 150
townsendii townsendii, Ida., 311, 322
lion, mountain, 274, 325
live trap for Citellus, 222
live trapping for Peromyscus, 301
locomotion of Dipodomys, 272
longevity of Desmodus, 217
Myotis, 218
Lutra canadensis, Alaska, 215; Pa., 229
canadensis nexa, Ida., 310, 315
canadensis texensis, Tex., 166
canadensis vaga, Fla., hab., 54
lynx, 230
Canada, 139, 215, 317
Lynx canadensis, Alaska, 215
canadensis canadensis, 133; Ida., 310, 317; Mana., Sask., 139
rufus, hab., 122; Pa., 230
rufus baileyi, N. Mex., hab., wt., 160; anat., 255
rufus floridanus, Fla., hab., 55
rufus pallescens, Alta., 140; Idaho, 310, hab., 317
rufus rufus, Mama., Sask., 139
refus texensis, Tex., 166

M

Macacus rhesus, comp., 175
macaque, Indian, 175
Maine
Ursus, 31
Mammut americanum, foss., Tex., 167
progenium, foss., Tex., 167
Mammuthus columbi, foss., Tex., 167
imperator, foss., Tex., 167
manatee, 234
Florida, 58
Manitoba, local list, 134
marking of bats, 224
Rattus, 71
marmot, hoary, 216, 318
Marmota caligata, Alaska, hab., 216
caligata nivaria, Ida., 310, 318
flaviventer avara, Ida., 310, 317
monax, Mich., Ohio, para., 177; Pa., 230
monax canadensis., Mana., Sask., 140
monax petrensis, Ida., 310, 317
Marshall, William H.
Winter food habits of the pine marten in Montana, 83
marten, 83, 215, 232, 314
Martes americana, 232; Alaska, 215; Mont., hab., 83
caurina caurina, Ida., 310, 314
pennanti, 232
pennanti columbiana, Ida., 310, 314
Maryland
Peromyscus, 310
mastodon, 167
mating of Dipodomys, 272
Matson, J. R.
Notes on dormancy in the black bear, 203
Megalonyx jeffersonii californicus, comp., 390
jeffersonii oklahomensis, foss., Okla., 388
Megatherium mirabile, foss., Tex., 167
Mephitis mephitis, Pa., 229
mephitis elongata, Fla., hab., 54
mephitis hudsonica, Alta., 137; Ida., 310, 315; Mana., Sask., 137
mephitis mesomelas, 166
mephitis nigra, Ohio, hab., 397
mephitis varians, Tex., para., 82
mesomelas varians, N. Mex., 157
Mesoplodon bidens, 245
bowdoini, Calif., anat., desc., 245
densirostris, comp., 247
mirus, 247
pacificus, 247
stejnegeri, 243
methods of capture of manatee, 237
Mexico
Cratogeomys, 398
Platygeomys, 398
Sorex, 394

Michigan
Marmota, 177
Sylvilagus, 273
Microsorex hoyi hoyi, Mana., 135
Microtus chrotorrhinus chrotorrhinus, anat., 382
longicaudus mordax, Ida., 311, 312, 320, 321
longicaudus vellerosus, Alta., 147
minor, 133; Mana., Sask., wt., 147
montanus nanus, Ida., 311, 321
ochrogaster, 378; anat., 385
ochrogaster ochrogaster, anat., 383
ochrogaster taylori, anat., 383
(Pedomys) ochrogaster, anat., 385
pennsylvanicus, 381; anat., 385; Pa., 231
pennsylvanicus drummondii, 133; Alta., hab., wt., 147; Ida., 311, 321
pennsylvanicus insperatus, 133; Alta., Sask., hab., wt., 147
pennsylvanicus modestus, Ida., 311, 321
pennsylvanicus pennsylvanicus, 378; anat., 382
richardsoni macropus, Ida., 311, 321
migration of Lynx, 317
Odocoileus, 324
Miller, Milton A.
Reproductive rates and cycles in the pocket gopher, 355
mineral deficiencies in Ovis, 12
mink, 166, 178, 215, 314
Hudson Bay, 137
Minnesota
Euarctos, 177
Gulo, 90
moose, 90
Mississippi
Castor, 332
Mohr, Carl O.
Distribution of the prairie mole and pocket gopher in Illinois, 390
mole, 390
Florida, 53
star-nosed, 134
Texas, 166
Montana
beaver, 396
Martes, 83
Rangifer, 326
moose, 90, 216, 326, 359
American, 151
Moore, Joseph C.
Mammals from Welaka, Putnam County, Florida, 49
mouse, cotton, 57
golden, 57
gopher, 57
grasshopper, 145, 198
harvest, 57, 166, 198
house, 166, 321
jumping, 148, 149, 233, 321, 322
lemming, 146, 233
meadow, 216, 231, 321
pine, 233
pocket, 106, 144, 166, 198, 320
red-backed, 233, 320, 362
white-footed, 145, 146, 166, 198, 230, 320
wood, 230, 301
woodland jumping, 149
movements of Lutra, 315
Peromyscus, 302
mud eating of Ovis, 12
Mus longibarbus, syn., 91
musculus, Ida., 311, 321; Tex., 166
muskox, 166
muskrat, 88, 148, 216, 231, 321
round-tailed, 57
Mustela erminea invicta, Alta., 136; Ida., 310, 314
erminea bangsi, Mana., 136
frenata longicauda, Alta., Sask., Mana., wt., 136
frenata nevadensis, Ida., 310, 314
frenata peninsulae, Fla., 54
nigripes, 133; Alta., Sask., 137
rixosa, Alaska., hab., 215; Sask., 392
rixosa rixosa, Mana., Sask., wt., 136
vison, Alaska, 215; Alta., Sask., 137
vison energumenos, Ida., 310, 314
vison lacustris, Mana., 137
vison letifera, 137
vison mink, Tex., 166
Myotis austroriparius, 327
californicus, 60; Calif., hab., 61
californicus californicus, Ida., 310, 312
evotis chrysonotus, Ida., 310, 312
keenii septentrionalis, Mana., 135; W. Va., 85
lucifugus, 60; Ohio, 275, 276
lucifugus alascensis, Ida., 310, 312
lucifugus lucifugus, 218, 224, 327; Mana., Sask., 135; W. Va., hab., para., 85; anat., 176
myotis, 327
subulatus melanorhinus, Calif., 88
thysanodes thysanodes, 60; Calif., 88
volans, Calif., hab., 60
volans interior, Ida., 310, 312

yumanensis, Calif., hab., 61
yumanensis sociabilis, 60

N

Napeozapus [sic.] insignis, 233
insignis frutectanus, Mana., 149
Nebraska
Lasiurus, 84
Neofiber alleni nigrescens, Fla., hab., wt., 57; anat., 383
Neotoma cinerea cinerea, Alta., 146
cinerea occidentalis, Ida., 311, 320
floridana attwateri, Tex., 166
magister, Pa., 230
nest of
black bear, 211
Citellus, 111
Dipodomys, 199
Eutamias, 319
Glaucomys, 56, 319
Neofiber, 57
Ondatra, 88
Oryzomys, 57
Peromyscus, 57
Sciurus, 55
Ursus, 31
Nevada
antelope, prong-horned, 84
Canis, 122
New Hampshire
Procyon, 179
New Mexico
local list, 154
New York
beaver, 394
New Zealand
Mesoplodon, 242
Nyctalus noctula, 327
Nycticeius humeralis, Ohio, 275, 276
humeralis humeralis, Tex., 166

O

Ochotona princeps cuppes, Ida., 311, 322
princeps princeps, Ida., 311, 322
Odocoileus, foss., 166
hemionus, Ore., hab., 86
hemionus hemionus, Alta., Mana., Sask., 151; Ida., 311, 324
virginianus, Pa., 231; Tex., 167
virginianus borealis, Mana., 150
virginianus dacotensis, Sask., 151
virginianus ochrourus, Ida., 311; hab., wt., 325
virginianus virginianus, Fla., hab., 58
Ohio local list (bats), 275
Marmota, 177
Mephitis, 397
Sorex, 177
onca, 39
Onychomys leucogaster leucogaster, Mana., 145
leucogaster missouriensis, Sask., 145
torridus tularensis, Calif., 198
Ondatra zibethica, Alaska, 216; Pa., 231
zibethica alba, Mana., 148
zibethica bernardi, Ariz., hab., 88
zibethica cinnamomina, 133; Alta., Sask., wt., 148
zibethica osoyoosensis, Ida., 311, 321
zibethica zibethica, 378; anat., 383
opossum, American, 232
Florida, 53
Virginia, 166
Oreamnos americanus missoulae, Ida., 311, 326
kennedyi, Alaska, 216
Oregon
Odocoileus, 86
orientation of Dipodomys, 272
Oryzomys palustris, Pa., 230
palustris natator, Fla., hab., wt., 57
palustris palustris, anat., 387
Osgood, Wilfred H.
The identity of Mus longibarbus Philippi, 91
otter, 166, 215, 229, 315
Florida, 54
ovarian cycles in Thomomys, 342
Ovis canadensis, hab., Colo., 1
canadensis canadensis, 3; Ida., 311, 326
dalli, 5

P

pack formation of wolves, 215
Packard, Fred Mallery
An ecological study of the bighorn sheep in Rocky Mountain National Park, Colorado, 3
Palmer, Ralph S.
Plastic vials for storing small skulls, 276
(review) Schaldach, William J. Carl Rungius. Big game painter, fifty years with brush and rifle, 399
Panama
Carollia, 217
Desmodus, 217
Phyllostomus, 217
panther, Florida, 55

parasites of
Citellus, 115
Conepatus, 82
Dipodomys, 198
Marmota, 177
Mephitis, 82
mink, 178
Myotis, 62
Ovis, 18
Procyon, 179
raccoon, 179
Spilogale, 82
woodchuck, 177
parturition in
Artibeus, 328
Erophylla, 327
Felis, 393
peccary, 168
Peccary angulatus angulatus, Tex., 167
Pennsylvania
local list, 227
Sorex, 89
Perognathus fasciatus fasciatus, 133; Mana., wt., 144
hispidus, Tex., hab., 113
hispidus hispidus, Tex., 106, 166
inornatus inornatus, Calif., 198
parvus lordi, Ida., 311, 320
merriami gilvus, Tex., 106
Peromyscus boylii evides, syst., 278
boylii levipes, syst., 278
boylii sagax., syst., 278
floridanus, Fla., hab., wt., 57
gossypinus gossypinus, Fla., hab., wt., 57
leucopus, 307
leucopus aridulus, 133; Alta., Sask., 146
leucopus brevicauda, Tex., 166
maniculatus artemisiae, Ida., 311, 312; hab., 320; 321
maniculatus bairdii, 133; Mana, Sask., wt., 145
maniculatus gambeli, Calif., 198
maniculatus maniculatus, 133; Mana., wt., 145
maniculatus osgoodi, 133; Alta., Sask., wt., 145
nuttalli aureolus, Fla., hab., wt., 57
sagax, syn., 278
truei gratus, syst., 278
Peterson, Randolph L.
Recent and pleistocene mammalian fauna of Brazos County, Texas, 162
Phenacomys intermedius intermedius, Ida., 311, 320
longicauda, 378; anat., 381, 385
Rocky Mountain, 320
Phocoenoides dalli, anat., comp., 368; Calif., hab., 364
truei, comp., 368; syn., 372
Phyllostomus hastatus panamensis, Panama, hab., 217
pig, 58
pika, 322
Pipistrellus hesperus merriami, Calif., 88
subflavus obscurus, Ohio, 275, 276
subflavus subflavus, W. Va., 85
Pithecus senex philbricki, Ceylon, hab., 174
Pitymys pinetorum, 233
pinetorum scalopsoides, anat., 383
Platygeomys gymnurus, Mex., 398
planiceps, Mex., 398
tylorhinus, Mex., 398
varius, Mex., 398, 399
playfulness of Ursus, 35
population decline in Ovis, 6
population density of armadillo, 273
population of Ovis, 23
porcupine, 116, 233
California, 149
Canada, 149
yellow-haired, 322
porpoise, bottle-nosed, 58
Dall, 364, 368
prairie-dog, black-tailed, 141, 271
predation on Citellus, 115
Ovis, 10
preening of Dipodomys, 199
pregnancy records of Dipodomys, 202
Procyon lotor, Pa. 229
lotor elucus, Fla., hab., wt., 54
lotor excelsus, Ida., 310, 313
lotor fuscipes, Tex., 166
lotor hirtus, Mana., Sask., 136
lotor lotor, N. H., para., 179
protein deficiencies in Ovis, 17
pseudopregnancy in Sylvilagus, 274
puma, 316

R

rabbit, cottontail, 231
marsh, 58
snow shoe, 216, 231
swamp, 166
white-tailed jack, 149, 322
raccoon, 166, 229, 313
Florida, 54
Mississippi Valley, 136
Rangifer caribou sylvestris, Mana., 151

montanus, Ida., 311; Ida., Mont., Wash., 326
tarandus arcticus, 362
tarandus tarandus, 362
rat, 169
black, 362
bushy-tailed wood, 146, 320
cave, 230
cotton, 57, 166
kangaroo, 144, 189
marsh, 230
Norway, 63, 321
rice, 57
roof, 57, 166
wood, 166
Rattus exulans, Samoa, 285
norvegicus, Ida., 311, 321
rattus alexandrinus, 362; Fla., 57; Tex., 166
rattus rattus, 362
Rausch, Robert
Collecting bats in Ohio, 275
Rausch, Robert and Jack Tiner
Obeliscoides cuniculi from the woodchuck in Ohio and Michigan, 177
reindeer, 362
Reithrodontomys fulvescens aurantius, Tex., 166
humulis humulis, Fla., 57
megalotis longicaudus, Calif., 198
reproduction in Citellus, 111
Eptesicus, 241
roosts of Eptesicus, 240
Rust, Henry Judson
Mammals of northern Idaho, 308
rut in Erethizon, 117
ring-tail, 157, 166
runways of Dipodomys, 195

S

Salyer, J. Clark II,
The Carolina beaver: a vanishing species?, 331
sanitation of Dipodomys, 200, 272
Saskatchewan, local list, 134
Mustela, 392
Savage, Donald E.
A mandible of Megalonyx from the Pleistocene of Oklahoma, 388
sea cow, 236
scabies in Ovis, 8
Scalopus aquaticus, Ill., 390
aquaticus australis, Fla., hab., wt., 53
aquaticus cryptus, Tex., 166
scats of Dipodomys, 272
Scheffer, Theo H.
Re-allocation of the Townsend ground squirrel, 395
Sciurus carolinensis, Pa., 230
carolinensis carolinensis, Fla., hab., wt., 55; Tex., 166
carolinensis hypophaeus, Mana., 142
hudsonicus, Alaska, 216
niger, Pa., 230
niger ludovicianus, Tex., 166
niger niger, Fla., hab., wt., 56
Schorger, A. W.
Records of wolverine for Wisconsin and Minnesota, 90
Influx of bears into St Louis County, Minnesota, 177
Shadle, Albert R., Marilyn Smelzer, and Margery Metz
The sex reactions of porcupines (Erethizon d. dorsatum) before and after copulation, 116
sheep, bighorn, 326
shrew, Bachman, 53
dusky, 134
gray, 311
masked, 134
pigmy, 135
saddle-back, 134
short-tailed, 53, 135, 166
wandering, 312
water, 89, 135, 312
Sibbaldus musculus, Tex., 393
Siegler, Hilbert R.
Guinea worm infestation of raccoon in New Hampshire, 179
Sigmodon hispidus hispidus, Fla., hab., wt., 57; anat., 387
hispidus texianus, Tex., 166
skeletal system of Felis, 256
Lynx, 256
Phocoenoides, 370
skunk, Flordia, 54
hog-nosed, 82, 157
plains, 137
striped, 82, 157, 229, 315
spotted, 82, 157
western spotted, 315
sloth, ground, 167
Smith, Bertrand E.
Bear facts, 31
Smith, Hobart M.
(review) Alfred Sherwood Romer. Vertebrate Paleontology, 285

Smyth, Thomas
Synaptomys cooperi in southwestern Virginia, 277
social behavior of Dipodomys, 272
Sooter, Clarence A.
Mule deer attacks young Canada geese, 86
Soper, J. Dewey
Mammals of the northern great plains along the international boundary in Canada, 127
Sorex arcticus arcticus, 133; Mana., 134
cinereus cinereus, 133; Ida., 310, hab., 311, 320; Mana., wt., 134
cinereus haydeni, 133; Mana., hab., wt., 134
cinereus laricorum, Mana., wt., 134
cinereus ohionensis, Ohio, 177
longirostris longirostris, Fla., 53
obscurus obscurus, Ida., 310, 311, hab., 312
obscurus soperi, Sask., hab., 134
palustris albibarbis, Pa., hab., 89
palustris navigator, Ida., 310, 312; Mana., wt., 135
saussurei saussurei, Mex., anat., 394
vagrans monticola, Ida., 310; hab., 312
South Carolina
Castor, 332
speed of langur, 174
Spilogale gracilis saxatilis, Ida., 310; Ida., Wash., 315
indianola, Tex., 166
leucoparia, N. Mex., hab., 157; Tex., para., 82
squirrel, Beechey ground, 198
California ground, 220
Columbian ground, 318
flying, 28, 56, 142, 143, 166, 233, 319
fox, 56, 166, 230
Franklin ground, 141
gray, 55, 142, 166, 230
mantled ground, 318
Mexican ground, 105
red, 142, 216, 319
Richardson ground, 140
striped ground, 140
stalking by Felis, 274
Stickel, Lucille F.
The source of animals moving into a depopulated area, 301
storing habits of Dipodomys, 195
Stott, Ken, Jr.
Twins in green guenon, 394
Sumner, Francis Bertody (obit.), 1
Sus scrofa scrofa, Fla., hab., 58
swimming of Microtus, 321
Phocoenoides, 365
Sylvilagus aquaticus aquaticus, Tex., 166
floridanus, Pa., 231
floridanus alacer, Tex., 166
floridanus chapmani, Tex., 106
floridanus floridanus, Fla., hab., 57
floridanus mearnsi, Mich., hab., wt., 273
floridanus similis, 133; Mana., wt., 150
nuttallii grangeri, 133; Alta., Sask., wt., 150
nuttallii nuttallii, Ida., 311, 322
palustris paludicola, Fla., hab., 58
Synaptomys borealis smithi, Mana., 146
cooperi, 233
cooperi cooperi, Mana., 146; anat., 381
cooperi paludis, anat., 381
cooperi stonei, Va., hab., 277

T

Tadarida cynocephala, 327; Fla., hab., wt., 54
mexicana, 166; Calif., hab., 61, 88
Tamias striatus, Pa., 230
striatus griseus, Mana., 142
Tamiasciurus hudsonicus hudsonicus, 133; Mana., wt., 142
hudsonicus pallescens, 133; Mana., 142
hudsonicus richardsoni, Ida., 310, 319
hudsonicus streatori, Ida., 310, hab., 319
tapir, 167
Tapirella bairdii, comp., 91
dowii, syn., 91
Tapirus haysii, foss., Tex., 167
Taxidea taxus, Calif., hab., 197
taxus berlandieri, N. Mex., 158; Tex., hab., 115, 175
taxus taxus, Alta., Sask., 138; Ida., 310, hab., 316
Taylor, Walter P.
Armadillo abundant in Kerr County, Texas, 273
techniques for study of Rattus, 63
temperament of Alces, 216
Peromyscus, 320
Tennessee
Castor, 333
Tetrameryx shuleri, foss, Tex., 166
Texas, local list, 162
armadillo, 273
Canis, 271
Citellus, 105

Conepatus, 82
Cratogeomys, 265, 398
Cynomys, 271
Dipodomys, 271
Felis, 271
Globicephala, 374
Lepus, 106
Mephitis, 82
Perognathus, 106
Procyon, 179
Sibbaldus, 393
sperm whale, 393
Spilogale, 82
Sylvilagus, 106
Taxidea, 175
Thomomys, 265
Thomomys bottae, 336, 397; Calif., hab., 172
bottae albatus, 335, 350
bottae limpiae, Tex., syst., comp. 265
bottae navus, Calif., hab., anat., 335; 338
bottae pallescens, 350
bottae pascalis, Calif., 198
bottae texensis, Tex., syst., 265
bulbivorus, 397
fulvus texensis, syn., 265
fuscus saturatus, Ida., 320
perpallidus albatus, 335
talpoides, 397
talpoides andersoni, Alta., 143
talpoides bullatus, Sask., 143
talpoides fuscus, Ida., 311, 319
talpoides quadratus, 336, 340
talpoides rufescens, 133; Mana., Sask., wt., 143
talpoides saturatus, Ida., 311, 319
townsendii, 336, 340, 397
umbrinus, comp., 266
umbrinus orizabae, 266
umbrinus umbrinus, 266
tiger, Bengal, 393
Tiner, Jack D.
Some helminth parasites of skunks in Texas, 82
transporting of young by Dipodomys, 201
Trapido, Harold
Observations on the vampire bat with special reference to longevity in captivity, 217
Trapido, Harold and Peter E. Crowe
The wing banding method in the study of the travels of bats, 224
trapping of Citellus, 220
travels of Sorex, 311
Trichechus manatus latirostris, Fla., hab., 58
Tryon, Clarence Archer, Jr.
Montana records of beaver embryos, 396
Tursiops truncatus, Fla., 58

U

Urocyon cinereoargenteus, Pa., 229
cinereoargenteus floridanus, Fla., hab., 55; Tex., 166
cinereoargenteus scotii [sic.], N. Mex., hab., 158
Ursus americanus, Alaska, hab., 213; Me., hab., 31
americanus americanus, Mana., 135
americanus cinnamomum, Ida., 310, hab., 311
horribilis, Alaska, 215

V

vials, plastic, 276
Virginia
Lasiurus, 178
Synaptomys, 277
voice of Citellus, 115
Globicephala, 376
vole, little upland, 147
long-tailed, 147
meadow, 147
red-backed, 146
sagebrush, 148
Vulpes alascensis, Alaska, 215
fulva macroura, Ida., 310, 316
fulva regalis, Mana., 138
fulvus, Pa., 232
macrotis, 198
macrotis neomexicanus, N. Mex., 158
macroura, N. Mex., 158
velox hebes, Alta., Sask., 138
vulpes, Pa., intro., 232

W

wapiti, 150, 231
Washburn, S. L.
The effect of removal of the zygomatic arch in the rat, 169
Washington
Glaucomys, 28
Lepus, 322
Marmota, 317
Procyon, 313
Rangifer, 326
Spilogale, 315

water, use of by Dipodomys, 196
weaning of Glaucomys, 30
weasel, Florida, 54
least, 136, 392
long-tailed, 136, 314
pygmy, 215
Rocky Mountain, 156
short-tailed, 136, 314
weight of Blarina, 135
Canis, 124, 159
Castor, 144, 320
Cervus, 323
Citellus, 112
Clethrionomys, 146
Cynomys, 141
Dipodomys, 201
Erethizon, 149
Eutamias, 142
Felis, 317
Geomys, 144
Glaucomys, 143
Lemmiscus, 148
Lepus, 149, 150
Lynx, 161
manatee, 237
Microtus, 147, 148
moose, 90
Mustela, 136, 137
Odocoileus, 324, 325
Ondatra, 148
Perognathus, 144
Peromyscus, 145, 146
Sorex, 134, 135
Sylvilagus, 150, 273
Tamiasciurus, 142
Thomomys, 143, 352
Zapus, 148, 149
West Virginia
Corynorhinus, 86
Eptesicus, 86
Lasiurus, 85
Myotis, 85, 176
Pipistrellus, 85
whale, beaked, 242
blue, 393
pilot, 374
rorqual, 392
sperm, 393
sulphur-bottomed, 393
Wible, Mary
Water shrew from Potter County, Pennsylvania, 89
Wilber, Charles G.
Mammals of the Knik River Valley, Alaska, 213
Wilson, L. Wayne
Notes on bats from eastern West Virginia, 85
winter range of Ovis, 7
Wisconsin
Gulo, 90
wolf, 229
gray, 139, 215, 316
lobo, 159
red, 166
wolverine, 90, 215, 315
woodchuck, 230, 317
Canada, 140
woodrat, bushy-tailed, 320

Y

Yocom, Charles F.
Notes on the Dall porpoise off California, 364
young of Artibeus, 329
Cervus, 324
Cercopithecus, 394
Citellus, 112
Felis, 316
Glaucomys, 28, 319
Myotis, 329
Nyctalus, 329
Tadarida, 329
Ursus, 31

Z

Zapus hudsonius, 233
hudsonius campestris, Mana., Sask., wt., 148
hudsonius hudsonius, Mana., wt., 148
princeps idahoensis, Ida., 311, 322
princeps kootenayensis, Ida., 311, 321
princeps minor, Alta., Sask., wt., 149
Ziphius cavirostris, Calif., anat., desc., 243